## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/079,479	02/22/2002	Gottlieb-Georg Lindner	215150US0	6695
22850 OBLON, SPIV	7590 07/17/200 'AK, MCCLELLAND,	EXAMINER		
1940 DUKE S'	TREET	NGUYEN, NGOC YEN M		
ALEXANDRI	A, VA 22314		ART UNIT PAPER NUMBER	
			1754	
		•		
			NOTIFICATION DATE	DELIVERY MODE
		07/17/2007	ELECTRONIC	

## Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com oblonpat@oblon.com jgardner@oblon.com

		Application No.	Applicant(s)				
		10/079,479	LINDNER ET AL.				
	Office Action Summary	Examiner	Art Unit				
	·	Ngoc-Yen M. Nguyen	1754				
Period fo	The MAILING DATE of this communication apports.	pears on the cover sheet with the c	orrespondence addre	ess			
WHIC - Exte after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPL CHEVER IS LONGER, FROM THE MAILING D nsions of time may be available under the provisions of 37 CFR 1.1 SIX (6) MONTHS from the mailing date of this communication. O period for reply is specified above, the maximum statutory period are to reply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be tin will apply and will expire SIX (6) MONTHS from a, cause the application to become ABANDONE	N. nely filed the mailing date of this comr D (35 U.S.C. § 133).	·			
Status							
1)[X]	Responsive to communication(s) filed on <u>06 A</u>	nril 2018 and 07 May 2007	٠.				
·		s action is non-final.					
3)	Since this application is in condition for allowa		secution as to the m	nerits is			
,	closed in accordance with the practice under <i>l</i>	•					
Disposit	ion of Claims		·				
4)⊠	Claim(s) <u>1,4,5,10-12,14-19 and 22-28</u> is/are p	ending in the application					
	4a) Of the above claim(s) is/are withdra	• • • • • • • • • • • • • • • • • • • •					
	5) Claim(s) is/are allowed.						
6)⊠	Claim(s) 1,4,5,10-12,14-19 and 22-28 is/are re	ejected.					
7)	Claim(s) is/are objected to.						
8)[	Claim(s) are subject to restriction and/o	or election requirement.					
Applicati	on Papers						
9)□	The specification is objected to by the Examine	er ·	•				
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.							
,	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
	Replacement drawing sheet(s) including the correct			1.121(d).			
11)	The oath or declaration is objected to by the Ex						
Priority ι	under 35 U.S.C. § 119	·					
	Acknowledgment is made of a claim for foreign  ☐ All b)☐ Some * c)☐ None of:	priority under 35 U.S.C. § 119(a)	)-(d) or (f).	•			
,	1. Certified copies of the priority document	s have been received.					
•	2. Certified copies of the priority documents have been received in Application No						
	3. Copies of the certified copies of the priority documents have been received in this National Stage						
	application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.							
Attachmen	t(s)						
1) 🔲 Notic	e of References Cited (PTO-892)	4) Interview Summary	(PTO-413)				
	e of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da 5) Notice of Informal P	ite				
	nation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date	6) Other:	atent Application				

Art Unit: 1754

## **DETAILED ACTION**

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 10, 17, 22-25 are rejected under 35 U.S.C. 102(b) as being anticipated by EP 0 937 755.

EP '755 discloses precipitated silica granules (note abstract).

Product C(13) has  $N_2$ -surface area (i.e. BET surface area) of 188 m<sup>2</sup>/g; DBP absorption of 216 g/100g; CTAB surface area of 170 m<sup>2</sup>/g (note Table 3, Run 13) and maximum Choline chloride absorption of 205g/100g (note Table 9, Product A (6)). The DBP/choline chloride absorption is (216/205 =) 1.05.

Product A Test 3 FSD-plant has  $N_2$ -surface area (i.e. BET surface area) of 207 m<sup>2</sup>/g; DBP absorption of 239 g/100g; CTAB surface area of 183 m<sup>2</sup>/g (note Table 6, Product A Test 3 FSD-plant) and maximum Choline chloride absorption of 240g/100g (note Table 9, Product A Test 3 FSD-plant). The DBP/choline chloride absorption is (239/240 =) 0.996.

In EP '755, the procedure for testing the maximum choline chloride absorption comprises the steps of adding 75% choline chloride solution dropwise to 10 g of the precipitated silica to be tested in a glass beaker. The mixture is stirred with a spatula.

Art Unit: 1754

The mixture is watched constantly to check when the maximum absorption has been reached. The maximum choline chloride absorption is reached when no more unloaded particles are to be found in the mixture and said mixture is not yet waxy or smeary. The maximum choline chloride absorption in g/100g = [(a-10)x100]/10 where a = totalweight (note page 18, line 20 to line 19, line 1). This maximum choline chloride absorption as disclosed in EP '755 is considered the same as the required "choline chloride absorption" since the procedure for measuring the values are the same in EP '755 as in the instant claimed invention.

EP '755 teaches that precipitated silica is known to be used as reinforcing filler for elastomers (note paragraph [0003]) and as a carrier for choline chloride solution (note paragraph [0004]).

For the Sears number, since the product of EP '755 has all the same properties and being made by the same process (note the reasons stated below), the Sears number for the product of EP '755 would inherently be the same as that of the claimed product.

For the process claims, EP '755 discloses a process for producing precipitated silica by preparing a sodium silicate solution in a container, simultaneously adding sodium silicate and sulfuric acid to the container while maintaining a constant alkali index of 7, stopping the addition of sodium silicate, further adding sulfuric acid until the pH of the precipitation suspension has reached 3.0, and the precipitated silica is separated by means of a filter press and eventually spray dried (note Example 3).

Art Unit: 1754

The precipitated silica as disclosed in EP '755 is contacted with choline chloride solution (note Table 9).

The process of EP '755 anticipates the claimed process.

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1, 4-5, 10, 14-17, 22-28 are rejected under 35 U.S.C. 103(a) as being unpatentable over EP '755.

EP '755 discloses a precipitated silica product and a process of making thereof as stated in the above rejection.

For other values other than those disclosed in the Examples, EP '755 further discloses the broad ranges such as for product C, the  $N_2$ -surface area (i.e. BET surface area) can be from 180-190 m<sup>2</sup>/g; DBP absorption can be from 220-320 g/100g; CTAB surface area can be 168-171 m<sup>2</sup>/g (note page 6, lines 20-22). These ranges overlap the claimed ranges.

For the Sears number, since the product in EP '755 is produced by the same process, i.e. constant alkali process, and has values for all other properties that at least overlap the claimed ranges, the range for Sears number for the product of EP '755 would also overlap the claimed range. Applicants have not provided any evidence to

Art Unit: 1754

show that the process of EP '755 could not produce a product with the required Sears number.

With respect to the encompassing and overlapping ranges previously discussed, the subject matter as a whole would have been obvious to one of ordinary skill in the art at the time of invention to select the portion of the prior art's range which is within the range of the applicants' claims because it has been held prima facie case of obviousness to select a value in a known range by optimization for the results. *In re Boesch*, 205 USPQ 215. Additionally, the subject matter as a whole would have been obvious to one of ordinary skill in the art at the time invention was made to have selected the overlapping portion of the range disclosed by the reference because overlapping ranges have been held to be a prima facie case of obviousness. *In re Malagari*, 182 USPQ 549.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to optimize the process condition in EP '755 in order to produce the desired precipitated silica with the properties as listed above.

Claims 1, 4-5, 10-12, 14-19, 22-28 are rejected under 35 U.S.C. 103(a) as being unpatentable over EP '755, and further in view of Turke et al (4,001,379).

EP '755 is applied as stated above. In the event that the Sears number is dependent on the alkali number, Turk '370 is applied as stated below.

Art Unit: 1754

The differences not yet discussed are EP '755 does not discloses an alkali number of at least 15 and the step of adding of an electrolyte prior to or during the simultaneously adding of sodium silicate and sulfuric acid.

Turk '370 discloses a process for producing silica (i.e., silicic acid) by adding an alkali metal silicate and an acid to an aqueous alkali metal silicate solution while maintaining the alkali number of the reaction mixture substantially constant at a value within the range of 10-40 (note claim 1). Turk '370 also teaches that the precipitation may be effected in the presence of neutral salts (note column 4, lines 53-54). This neutral salt is considered the same as the claimed "electrolyte".

It would have been obvious to one of ordinary skill in the art at the time the invention was made to further add a neutral salt (electrolyte) and to optimize the alkali number between 10-40, as suggested by Turk '370, for the process of EP '755 because such conditions are known and desirable in an analogous process for producing precipitated silica.

Applicant's arguments and declaration filed April 6, 18 and May 7, 2007 have been fully considered but they are not persuasive.

Applicants argue and the Declaration states that the Sears number of an original sample of Product C Experiment 13 in EP '755 was measured and found to be 22.5 ml/5g, which is at least 10% below the Sears numbers as now claimed in Applicants' claim 1.

Art Unit: 1754

It is noted that 10% difference is still within a margin of error, thus, no patentable difference is seen. Furthermore, the 22.5 ml/5g as disclosed in EP '755 would have suggested to one of ordinary skill in the art a slightly higher value, based upon a reasonable expectation of success, In re O'Farrell, 853 F. 2d 894, 904, 7 USPQ 2d 1967, 1681 (Fed. Cir. 1988). Applicants have not provided any evidence to show that the process as disclosed in EP '755 is not capable of producing a silica product with the claimed Sears number.

Applicants argue that silica gels A and B are produced by "pH precipitation methods".

Granted that this is true, product C in EP '755 is produced by "constant alkali number" method.

Applicants argue that the method according to Example 3 of EP '755 differs from that of the claimed invention.

This argument is not commensurate in scope with Applicants' claims. Applicants' claims do not require any precipitation time, temperature or solid content for the suspension. As for the alkali number, the teaching of EP '755 should not be limited to just the exemplified value of "7". Turk is applied to teach that other values for the alkali number are known and conventional used in the art.

Applicants argue that Turk '369 teaches that an increase of the alkaline number leads to an increase of the DBP.

In Turk '369, at high alkali number, i.e. 40, the DBP value is at 310.7 g/100g (note Table IV in columns 15-16) (with specific weight of DBP = 1.046 g/cm<sup>3</sup>, note

Art Unit: 1754

column 6, lines 57-60 of Turk '369). This value is still within the claimed range for the DBP absorption, i.e. 100-450 g/100g.

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ngoc-Yen M. Nguyen whose telephone number is (571) 272-1356. The examiner is currently on a Part time schedule.

Art Unit: 1754

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stanley Silverman can be reached on (571) 272-1358. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Myor yen Nymyon Ngoc-Yen M. Nguyen Primary Examiner Art Unit 1754

nmn July 9, 2007